AXIOM Gesellschaft für Diagnostica und Biochemica mbH
Am Jahnplatz 5, 68642 Bürstadt, Deutschland
Tel.: 00-49-6206-6011/12 Fax: 00-49-6206-6013

CONTROL PLASMA ABNORMAL (HIGH)

CE

6 x 1 ml 88 01 96

Axiom high pathological Plasma (as well as normal plasma and low pathological plasma) can be used as reference or control for all haemostasis tests requiring citrated plasma without platelets.
It is of human origin: the absence of Hbs antigen and anti-HIV antibody has been checked; itis however necessary to handle it with the same precautions as plasma of patient. It cannotbe used for therapeutic indications.

It can be used:

- as control plasma in order to study the intra-laboratory variations of the PT, INR, etc.
- as standard plasma to calibrate thromboplastin with a higher degree of accuracy

The titers of this plasma have been determined by comparison with a pool of normal plasmas and dilutions of this pool in an Owren-Koller buffer.

		Target	Confidence Interval
PT	%	**38**	34-42
INR		**2.5**	2.2-2.8
Cephalin time	s	**47**	42-52
Fibrinogen	g/L	**2.45**	2.25-2.65

STORAGE

Lyophilized	see above
Reconstituted	3 hours after reconstitution with distilled water

ADDITIONAL PRODUCTS

Axiom N Plasma	(normal)
Axiom LP Plasma	(low pathological)